

Laserliner

ActiveFinder Pro



Professional voltage testing
of electrical wiring and systems
– in handy pen format


Rev19W06



- Non-contact tester for locating electrical voltage in sockets, cables, bulb sockets, fuses, control cabinet and system components
- Contactless detection of live lines
- Identification of the phase conductor
- Finds breaks in wires and cables
- Visual warning and acoustic signal



LED multicolour indicators



With pocket clip



With Battery lamp

TECHNICAL DATA

INDICATOR LED (red/green)

VOLTAGE RANGE
100 V AC ~ 1000 V AC
Frequency 50 ... 60 Hz

OVERVOLTAGE CATEGORY
CAT IV - 1000 V
Pollution degree 2

POWER SUPPLY
2 x 1.5V LR03 (AAA)

OPERATING CONDITIONS
0°C ... 50°C, Max. humidity 80% rH,
no condensation, max. altitude 2000 m

STORAGE CONDITIONS
-10°C ... 60°C, Max. humidity 80% rH

DIMENSIONS (W x H x D)
20 x 157 x 26 mm

WEIGHT (incl. batteries) 58 g



ActiveFinder Pro
inclusive softbag
+ batteries (2 x 1,5V LR03 (AAA))
Packing dimension (W x H x D)
110 x 235 x 80 mm

ARTICLE	ARTICLE NO	EAN-CODE	PU
ActiveFinder Pro	083.014A	4 021563 705078	5

CAT IV
1000V

2x
AAA



SOFT